

**Trade name:** 77001-00107, solvent

**Product no.:** 77001-00107

**Current version :** 1.0.0, issued: 29.04.2021

**Replaced version:** -, issued: -

**Region:** GB

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**Trade name**

**77001-00107, solvent**

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified uses of the substance or mixture**

printer's ink

Thinner

**Uses advised against**

No data available.

### 1.3 Details of the supplier of the safety data sheet

**Address**

Paul Leibinger GmbH & Co. KG

Daimlerstrasse 14

78532 Tuttlingen

Telephone no. +49 (0)7461 9286 0

Fax no. +49 (0)7461 9286 119

e-mail [info@leibinger-group.com](mailto:info@leibinger-group.com)

**Advice on Safety Data Sheet**

[sdb\\_info@umco.de](mailto:sdb_info@umco.de)

### 1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

**Classification in accordance with Regulation (EC) No 1272/2008 (CLP)**

Eye Irrit. 2; H319

Flam. Liq. 2; H225

STOT SE 3; H336

**Classification information**

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

### 2.2 Label elements

**Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)**

**Hazard pictograms**



GHS02



GHS07

**Signal word**

Danger

**Hazardous component(s) to be indicated on label:**

acetone

Trade name: 77001-00107, solvent

Product no.: 77001-00107

Current version : 1.0.0, issued: 29.04.2021

Replaced version: -, issued: -

Region: GB

**Hazard statement(s)**

H225 Highly flammable liquid and vapour.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness.

**Hazard statements (EU)**

EUH066 Repeated exposure may cause skin dryness or cracking.

**Precautionary statement(s)**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P240 Ground and bond container and receiving equipment.  
P241 Use explosion-proof electrical/ventilating/lighting/ equipment.  
P242 Use non-sparking tools.  
P243 Take action to prevent static discharges.  
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P370+P378 In case of fire: Use water spray, extinguishing powder, foam or CO2 to extinguish.

**2.3 Other hazards**

PBT assessment

The components of this product are not considered to be a PBT.

vPvB assessment

The components of this product are not considered to be a vPvB.

**SECTION 3: Composition/information on ingredients****3.1 Substances**

Not applicable. The product is not a substance.

**3.2 Mixtures****Hazardous ingredients**

No	Substance name	Additional information	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration %
1	<b>acetone</b>		
	67-64-1 200-662-2 606-001-00-8 01-2119471330-49	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336 EUH066	>= 70.00 - < 90.00 wt%
2	<b>ethyl-acetate</b>		
	141-78-6 205-500-4 607-022-00-5 01-2119475103-46	EUH066 Eye Irrit. 2; H319 Flam. Liq. 2; H225 STOT SE 3; H336	>= 10.00 - < 25.00 wt%
3	<b>isopropyl acetate</b>		
	108-21-4 203-561-1 607-024-00-6 01-2119537214-46	EUH066 Eye Irrit. 2; H319 Flam. Liq. 2; H225 STOT SE 3; H336	>= 5.00 - < 10.00 wt%
4	<b>ethanol</b>		
	64-17-5 200-578-6 603-002-00-5 01-2119457610-43	Flam. Liq. 2; H225 Eye Irrit. 2; H319	< 5.00 wt%

Full Text for all H-phrases and EUH-phrases: pls. see section 16

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
----	------	-------------------------------	------------------	--------------------

Trade name: 77001-00107, solvent

Product no.: 77001-00107

Current version : 1.0.0, issued: 29.04.2021

Replaced version: -, issued: -

Region: GB

3	C	-	-	-
4	-	Eye Irrit. 2; H319: C $\geq$ 50%	-	-

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General information

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. In case of persisting adverse effects, consult a physician.

#### After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air.

#### After skin contact

In case of contact with skin wash off with water.

#### After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get medical attention if pain still persists.

#### After ingestion

Rinse the mouth thoroughly with water. Do not induce vomiting. Never give anything by mouth to an unconscious person.

### 4.2 Most important symptoms and effects, both acute and delayed

No data available.

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Alcohol resistant foam, CO<sub>2</sub>, powders, water spray

#### Unsuitable extinguishing media

High power water jet

### 5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon dioxide (CO<sub>2</sub>); Carbon monoxide (CO)

### 5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing. Containers close to fire should be transferred to a safe place. Cool closed containers exposed to fire with water.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Keep away from ignition sources.

#### For emergency responders

Personal protective equipment (PPE) - see section 8.

### 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

### 6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

Trade name: 77001-00107, solvent

Product no.: 77001-00107

Current version : 1.0.0, issued: 29.04.2021

Replaced version: -, issued: -

Region: GB

**6.4 Reference to other sections**

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

**SECTION 7: Handling and storage****7.1 Precautions for safe handling****Advice on safe handling**

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances.

**General protective and hygiene measures**

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing.

**Advice on protection against fire and explosion**

Keep away from ignition sources and provide for good ventilation. Vapours can form an explosive mixture with air. Isolate from sources of heat, sparks and open flame. Take precautionary measures against electrostatic loading (earthing necessary during loading operations). Use explosion-proof equipment/fittings and non-sparking tools.

**7.2 Conditions for safe storage, including any incompatibilities****Technical measures and storage conditions**

Keep container tightly closed and dry in a cool, well-ventilated place.

**Recommended storage temperature**

Value 15 - 25 °C

**Requirements for storage rooms and vessels**

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

**Incompatible products**

Substances to be avoided, see section 10.

**7.3 Specific end use(s)****Recommendations**

Solvent for industrial CIJ printers

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Occupational exposure limit values**

No	Substance name	CAS no.	EC no.
1	acetone	67-64-1	200-662-2
	2000/39/EC		
	Acetone		
	WEL long-term (8-hr TWA reference period)	1210	mg/m <sup>3</sup> 500 ppm
	List of approved workplace exposure limits (WELs) / EH40		
	Acetone		
	WEL short-term (15 min reference period)	3620	mg/m <sup>3</sup> 1500 ppm
	WEL long-term (8-hr TWA reference period)	1210	mg/m <sup>3</sup> 500 ppm
2	ethyl-acetate	141-78-6	205-500-4
	2017/164/EU		
	Ethyl acetate		
	WEL short-term (15 min reference period)	1468	mg/m <sup>3</sup> 400 ppm
	WEL long-term (8-hr TWA reference period)	734	mg/m <sup>3</sup> 200 ppm
	List of approved workplace exposure limits (WELs) / EH40		
	Ethyl acetate		

Trade name: 77001-00107, solvent

Product no.: 77001-00107

Current version : 1.0.0, issued: 29.04.2021

Replaced version: -, issued: -

Region: GB

	WEL short-term (15 min reference period)	400	ppm
	WEL long-term (8-hr TWA reference period)	200	ppm
<b>3</b>	<b>isopropyl acetate</b>	<b>108-21-4</b>	<b>203-561-1</b>
	<b>List of approved workplace exposure limits (WELs) / EH40</b>		
	Isopropyl acetate		
	WEL short-term (15 min reference period)	849	mg/m <sup>3</sup> 200 ppm
<b>4</b>	<b>ethanol</b>	<b>64-17-5</b>	<b>200-578-6</b>
	<b>List of approved workplace exposure limits (WELs) / EH40</b>		
	Ethanol		
	WEL long-term (8-hr TWA reference period)	1920	mg/m <sup>3</sup> 1000 ppm

**DNEL, DMEL and PNEC values****DNEL values (worker)**

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	<b>acetone</b>			<b>67-64-1</b> <b>200-662-2</b>	
	dermal	Long term (chronic)	systemic	186	mg/kg/day
	inhalative	Short term (acut)	local	2420	mg/m <sup>3</sup>
	inhalative	Short term (acut)	systemic	1210	mg/m <sup>3</sup>
2	<b>ethyl-acetate</b>			<b>141-78-6</b> <b>205-500-4</b>	
	dermal	Long term (chronic)	systemic	63	mg/kg/day
	inhalative	Short term (acut)	systemic	1468	mg/m <sup>3</sup>
	inhalative	Long term (chronic)	local	734	mg/m <sup>3</sup>
	inhalative	Short term (acut)	local	1468	mg/m <sup>3</sup>
	inhalative	Long term (chronic)	systemic	734	mg/m <sup>3</sup>
3	<b>isopropyl acetate</b>			<b>108-21-4</b> <b>203-561-1</b>	
	dermal	Long term (chronic)	systemic	43	mg/kg/day
	inhalative	Short term (acut)	systemic	850	mg/m <sup>3</sup>
	inhalative	Long term (chronic)	systemic	420	mg/m <sup>3</sup>
	inhalative	Long term (chronic)	local	420	mg/m <sup>3</sup>
4	<b>ethanol</b>			<b>64-17-5</b> <b>200-578-6</b>	
	dermal	Long term (chronic)	systemic	343	mg/kg/day
	inhalative	Long term (chronic)	systemic	950	mg/m <sup>3</sup>

**DNEL value (consumer)**

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	<b>acetone</b>			<b>67-64-1</b> <b>200-662-2</b>	
	oral	Long term (chronic)	systemic	62	mg/kg/day
	dermal	Long term (chronic)	systemic	62	mg/kg/day
	inhalative	Long term (chronic)	systemic	200	mg/m <sup>3</sup>
2	<b>ethyl-acetate</b>			<b>141-78-6</b> <b>205-500-4</b>	
	oral	Long term (chronic)	systemic	4.5	mg/kg/day
	dermal	Long term (chronic)	systemic	37	mg/kg/day
	inhalative	Short term (acut)	systemic	734	mg/m <sup>3</sup>
	inhalative	Long term (chronic)	local	367	mg/m <sup>3</sup>
	inhalative	Short term (acut)	local	734	mg/m <sup>3</sup>
	inhalative	Long term (chronic)	systemic	367	mg/m <sup>3</sup>
3	<b>isopropyl acetate</b>			<b>108-21-4</b> <b>203-561-1</b>	
	oral	Long term (chronic)	systemic	26	mg/kg/day
	dermal	Long term (chronic)	systemic	26	mg/kg/day

Trade name: 77001-00107, solvent

Product no.: 77001-00107

Current version : 1.0.0, issued: 29.04.2021

Replaced version: -, issued: -

Region: GB

	inhalative	Short term (acute)	systemic	510	mg/m <sup>3</sup>
	inhalative	Long term (chronic)	systemic	252	mg/m <sup>3</sup>
	inhalative	Long term (chronic)	local	252	mg/cm <sup>2</sup>
4	<b>ethanol</b>			<b>64-17-5 200-578-6</b>	
	oral	Long term (chronic)	systemic	87	mg/kg/day
	dermal	Long term (chronic)	systemic	206	mg/kg/day
	inhalative	Long term (chronic)	systemic	114	mg/m <sup>3</sup>

**PNEC values**

No	Substance name		CAS / EC no	
	ecological compartment	Type	Value	
1	<b>acetone</b>		<b>67-64-1 200-662-2</b>	
	water	fresh water	10.6	mg/L
	water	Aqua intermittent	21	mg/L
	water	marine water	1.06	mg/L
	water	fresh water sediment	30.4	mg/kg
	water	marine water sediment	3.04	mg/kg
	soil	-	29.5	mg/kg
	sewage treatment plant	-	100	mg/L
2	<b>ethyl-acetate</b>		<b>141-78-6 205-500-4</b>	
	water	fresh water	0.24	mg/L
	water	marine water	0.024	mg/L
	water	Aqua intermittent	1.65	mg/L
	water	fresh water sediment	1.15	mg/kg dry weight
	water	marine water sediment	0.115	mg/kg dry weight
	soil	-	0.148	mg/kg dry weight
	sewage treatment plant	-	650	mg/L
	secondary poisoning	-	200	mg/kg
3	<b>isopropyl acetate</b>		<b>108-21-4 203-561-1</b>	
	water	fresh water	0.22	mg/L
	water	marine water	0.022	mg/L
	water	Aqua intermittent	1.1	mg/L
	water	fresh water sediment	1.25	mg/kg
	water	marine water sediment	0.125	mg/kg
4	<b>ethanol</b>		<b>64-17-5 200-578-6</b>	
	water	fresh water	0.96	mg/L
	water	Aqua intermittent	2.75	mg/L
	water	marine water	0.79	mg/L
	water	fresh water sediment	3.6	mg/kg dry weight
	water	marine water sediment	2.9	mg/L
	soil	-	0.63	mg/kg dry weight
	sewage treatment plant	-	580	mg/L
	secondary poisoning	-	0.38	mg/kg food

**8.2 Exposure controls****Appropriate engineering controls**

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

Trade name: 77001-00107, solvent

Product no.: 77001-00107

Current version : 1.0.0, issued: 29.04.2021

Replaced version: -, issued: -

Region: GB

**Personal protective equipment****Respiratory protection**

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

**Eye / face protection**

Tightly fitting safety glasses (EN 166).

**Hand protection**

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

**Other**

Normal chemical work clothing.

**Environmental exposure controls**

No data available.

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties**

<b>State of aggregation</b>	
liquid	
<b>Form/Colour</b>	
colourless; clear	
<b>Odour</b>	
ester-like	
<b>pH value</b>	
Not applicable	
<b>Boiling point / boiling range</b>	
No data available	
<b>Melting point/freezing point</b>	
No data available	
<b>Decomposition temperature</b>	
No data available	
<b>Flash point</b>	
Value	-17 °C
Source	supplier
<b>Ignition temperature</b>	
Value	>= 425 °C
Source	supplier
<b>Flammability</b>	
No data available	
<b>Lower explosion limit</b>	
Value	1.8 % vol
Source	supplier
<b>Upper explosion limit</b>	
Value	15 % vol
Source	supplier

Trade name: 77001-00107, solvent

Product no.: 77001-00107

Current version : 1.0.0, issued: 29.04.2021

Replaced version: -, issued: -

Region: GB

<b>Vapour pressure</b>			
No data available			
<b>Relative vapour density</b>			
No data available			
<b>Relative density</b>			
No data available			
<b>Density</b>			
Value	~	0.8	g/cm³
Source	supplier		
<b>Solubility in water</b>			
Comments	partially miscible		
<b>Solubility</b>			
No data available			
<b>Partition coefficient n-octanol/water (log value)</b>			
<b>No</b>	<b>Substance name</b>	<b>CAS no.</b>	<b>EC no.</b>
<b>1</b>	<b>acetone</b>	<b>67-64-1</b>	<b>200-662-2</b>
log Pow		-0.23	
Method	QSAR		
Source	ECHA		
<b>2</b>	<b>ethyl-acetate</b>	<b>141-78-6</b>	<b>205-500-4</b>
log Pow		6.8	
Reference temperature		25	°C
Source	ECHA		
<b>3</b>	<b>ethanol</b>	<b>64-17-5</b>	<b>200-578-6</b>
log Pow		-0.35	
Reference temperature		24	°C
with reference to	pH 7,4		
Method	OECD 107		
Source	ECHA		
<b>Viscosity</b>			
No data available			
<b>Particle characteristics</b>			
No data available			

## 9.2 Other information

<b>Other information</b>
VOC: 813 g/l

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Dangerous reactions are not expected if the product is handled according to its intended use.

### 10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

### 10.3 Possibility of hazardous reactions

Dangerous reactions are not to be expected when handling product according to its intended use.

### 10.4 Conditions to avoid

Heat, naked flames and other ignition sources.

### 10.5 Incompatible materials

Oxidizing agents

### 10.6 Hazardous decomposition products



Trade name: 77001-00107, solvent

Product no.: 77001-00107

Current version : 1.0.0, issued: 29.04.2021

Replaced version: -, issued: -

Region: GB

None, if handled according to intended use.

**SECTION 11: Toxicological information****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Acute oral toxicity			
No	Substance name	CAS no.	EC no.
1	acetone	67-64-1	200-662-2
LD50		5800	mg/kg bodyweight
Species	rat		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
2	ethyl-acetate	141-78-6	205-500-4
LD50	>	5600	mg/kg bodyweight
Species	rat		
Source	ECHA		
3	ethanol	64-17-5	200-578-6
LD50		10470	mg/kg bodyweight
Species	rat		
with reference to	95% ethanol in water		
Method	OECD 401		
Source	ECHA		

Acute dermal toxicity			
No	Substance name	CAS no.	EC no.
1	acetone	67-64-1	200-662-2
LD50	>	15800	mg/kg bodyweight
Species	rabbit		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
2	ethyl-acetate	141-78-6	205-500-4
LD50	>	20000	mg/kg bodyweight
Species	rabbit		
Source	ECHA		

Acute inhalational toxicity			
No	Substance name	CAS no.	EC no.
1	acetone	67-64-1	200-662-2
LC50		76	mg/l
Duration of exposure		4	h
State of aggregation	Vapour		
Species	rat		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
2	ethanol	64-17-5	200-578-6
LC50		124.7	mg/l
Duration of exposure		4	h
State of aggregation	Vapour		
Species	rat		
Method	OECD 403		
Source	ECHA		

Skin corrosion/irritation			
No	Substance name	CAS no.	EC no.
1	acetone	67-64-1	200-662-2
Species	guinea pig		
Source	ECHA		
Evaluation	non-irritant		
Evaluation/classification	Based on available data, the classification criteria are not met.		
2	ethyl-acetate	141-78-6	205-500-4

Trade name: 77001-00107, solvent

Product no.: 77001-00107

Current version : 1.0.0, issued: 29.04.2021

Replaced version: -, issued: -

Region: GB

Species	rabbit
Method	OECD 404
Source	ECHA
Evaluation	low-irritant
Evaluation/classification	Based on available data, the classification criteria are not met.
<b>3</b>	<b>ethanol</b> <b>64-17-5</b> <b>200-578-6</b>
Species	rabbit
Method	OECD 404
Source	ECHA
Evaluation	non-irritant

Serious eye damage/irritation			
No	Substance name	CAS no.	EC no.
<b>1</b>	<b>acetone</b>	<b>67-64-1</b>	<b>200-662-2</b>
Species	rabbit		
Method	OECD 405		
Source	ECHA		
Evaluation	irritant		
Evaluation/classification	Based on available data, the classification criteria are met.		
<b>2</b>	<b>ethyl-acetate</b>	<b>141-78-6</b>	<b>205-500-4</b>
Species	rabbit		
Method	OECD 405		
Source	ECHA		
Evaluation	low-irritant		
<b>3</b>	<b>ethanol</b>	<b>64-17-5</b>	<b>200-578-6</b>
Species	rabbit		
Method	OECD 405		
Source	ECHA		
Evaluation	irritant		

Respiratory or skin sensitisation			
No	Substance name	CAS no.	EC no.
<b>1</b>	<b>acetone</b>	<b>67-64-1</b>	<b>200-662-2</b>
Route of exposure	Skin		
Species	guinea pig		
Source	ECHA		
Evaluation	non-sensitizing		
Evaluation/classification	Based on available data, the classification criteria are not met.		
<b>2</b>	<b>ethyl-acetate</b>	<b>141-78-6</b>	<b>205-500-4</b>
Route of exposure	Skin		
Species	guinea pig		
Method	OECD 406		
Source	ECHA		
Evaluation	non-sensitizing		
<b>3</b>	<b>ethanol</b>	<b>64-17-5</b>	<b>200-578-6</b>
Route of exposure	Skin		
Species	mouse		
Source	ECHA		
Evaluation	non-sensitizing		

Germ cell mutagenicity			
No	Substance name	CAS no.	EC no.
<b>1</b>	<b>acetone</b>	<b>67-64-1</b>	<b>200-662-2</b>
Type of examination	in vitro gene mutation study in bacteria		
Species	Salmonella typhimurium		
Method	OECD 471		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
Type of examination	In vitro Mammalian Chromosomal Aberration Test		
Species	Chinese hamster Ovary (CHO)		
Method	OECD 473		

Trade name: 77001-00107, solvent

Product no.: 77001-00107

Current version : 1.0.0, issued: 29.04.2021

Replaced version: -, issued: -

Region: GB

Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.
Type of examination	in vitro gene mutation study in mammalian cells
Species	Mouse lymphoma cells
Method	OECD 476
Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.
<b>2</b>	<b>ethanol</b>
	<b>64-17-5</b>
	<b>200-578-6</b>
Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.

Reproduction toxicity			
No	Substance name	CAS no.	EC no.
<b>1</b>	<b>acetone</b>	<b>67-64-1</b>	<b>200-662-2</b>
Route of exposure		inhalational	
NOAEC		2200	ppm
Type of examination		Prenatal Developmental Toxicity Study	
Species		rat	
Method		OECD 414	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
<b>2</b>	<b>ethanol</b>	<b>64-17-5</b>	<b>200-578-6</b>
Route of exposure		oral	
NOAEL			
Type of examination		2 generation study	
Species		mouse	
Method		OECD 416	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
Route of exposure		inhalational	
NOAEL			
Type of examination		Prenatal Developmental Toxicity Study	
Species		rat	
Method		OECD 414	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	

Carcinogenicity			
No	Substance name	CAS no.	EC no.
<b>1</b>	<b>acetone</b>	<b>67-64-1</b>	<b>200-662-2</b>
Route of exposure		dermal	
Type of examination		Toxicity study	
Species		mouse	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
<b>2</b>	<b>ethanol</b>	<b>64-17-5</b>	<b>200-578-6</b>
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

STOT - single exposure	
No data available	

STOT - repeated exposure			
No	Substance name	CAS no.	EC no.
<b>1</b>	<b>acetone</b>	<b>67-64-1</b>	<b>200-662-2</b>
Route of exposure		oral	
NOAEL		10000	ppm
Species		rat	
Method		OECD 408	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	

Trade name: 77001-00107, solvent

Product no.: 77001-00107

Current version : 1.0.0, issued: 29.04.2021

Replaced version: -, issued: -

Region: GB

Route of exposure		inhalational	
NOAEC		19000	ppm
Species		rat	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
2	ethanol		64-17-5200-578-6
Route of exposure		oral	
Duration of exposure		14	week/s
Species		rat	
Target organ		kidneys	
Method		OECD 408	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
Aspiration hazard			
No data available			

**11.2 Information on other hazards****Endocrine disrupting properties**

No data available.

**Other information**

No data available.

**SECTION 12: Ecological information****12.1 Toxicity**

<b>Toxicity to fish (acute)</b>			
No	Substance name	CAS no.	EC no.
<b>1</b>	<b>acetone</b>	<b>67-64-1</b>	<b>200-662-2</b>
LC50		5540	mg/l
Duration of exposure		96	h
Species	Oncorhynchus mykiss		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
<b>2</b>	<b>ethyl-acetate</b>	<b>141-78-6</b>	<b>205-500-4</b>
LC50		230	mg/l
Duration of exposure		96	h
Species	Pimephales promelas		
Source	ECHA		
<b>3</b>	<b>ethanol</b>	<b>64-17-5</b>	<b>200-578-6</b>
LC50		14200	mg/l
Duration of exposure		96	h
Species	Pimephales promelas		
Method	EPA		
Source	ECHA		

<b>Toxicity to fish (chronic)</b>			
No data available			

<b>Toxicity to Daphnia (acute)</b>			
No	Substance name	CAS no.	EC no.
<b>1</b>	<b>acetone</b>	<b>67-64-1</b>	<b>200-662-2</b>
EC50		8800	mg/l
Duration of exposure		48	h
Species	Daphnia pulex		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
<b>2</b>	<b>ethyl-acetate</b>	<b>141-78-6</b>	<b>205-500-4</b>
EC50		1350	mg/l
Duration of exposure		48	h

**Trade name:** 77001-00107, solvent**Product no.:** 77001-00107**Current version :** 1.0.0, issued: 29.04.2021**Replaced version:** -, issued: -**Region:** GB

Species	Daphnia magna
Source	ECHA
<b>3</b>	<b>ethanol</b>
	<b>64-17-5</b>
	<b>200-578-6</b>
EC50	5012 mg/l
Duration of exposure	48 h
Species	Ceriodaphnia dubia
Method	ASTM Standard E 729-80
Source	ECHA

Toxicity to Daphnia (chronic)			
No	Substance name	CAS no.	EC no.
<b>1</b>	<b>ethanol</b>	<b>64-17-5</b>	<b>200-578-6</b>
NOEC		9.6	mg/l
Duration of exposure		9	day(s)
Species	Daphnia magna		
Source	ECHA		

Toxicity to algae (acute)			
No	Substance name	CAS no.	EC no.
<b>1</b>	<b>ethanol</b>	<b>64-17-5</b>	<b>200-578-6</b>
EC50		275	mg/l
Duration of exposure		72	h
Species	Chlorella vulgaris		
Method	OECD 201		
Source	ECHA		

Toxicity to algae (chronic)			
No data available			

Bacteria toxicity			
No data available			

## 12.2 Persistence and degradability

Biodegradability			
No	Substance name	CAS no.	EC no.
<b>1</b>	<b>acetone</b>	<b>67-64-1</b>	<b>200-662-2</b>
Type	aerobic biodegradation		
Value		90.9	%
Duration		28	day(s)
Method	OECD 301 B		
Source	ECHA		
Evaluation	readily biodegradable		
<b>2</b>	<b>ethyl-acetate</b>	<b>141-78-6</b>	<b>205-500-4</b>
Source	ECHA		
Evaluation	readily biodegradable		
<b>3</b>	<b>ethanol</b>	<b>64-17-5</b>	<b>200-578-6</b>
Type	aerobic biodegradation		
Value	appr.	84	%
Duration		20	day(s)
Method	OECD		
Source	ECHA		
Evaluation	readily biodegradable		
Value			%

## 12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log value)			
No	Substance name	CAS no.	EC no.
<b>1</b>	<b>acetone</b>	<b>67-64-1</b>	<b>200-662-2</b>
log Pow		-0.23	
Method	QSAR		
Source	ECHA		

Trade name: 77001-00107, solvent

Product no.: 77001-00107

Current version : 1.0.0, issued: 29.04.2021

Replaced version: -, issued: -

Region: GB

2	ethyl-acetate	141-78-6	205-500-4
log Pow		6.8	
Reference temperature		25	°C
Source	ECHA		
3	ethanol	64-17-5	200-578-6
log Pow		-0.35	
Reference temperature		24	°C
with reference to	pH 7,4		
Method	OECD 107		
Source	ECHA		

**12.4 Mobility in soil**

No data available.

**12.5 Results of PBT and vPvB assessment**

Results of PBT and vPvB assessment	
PBT assessment	The components of this product are not considered to be a PBT.
vPvB assessment	The components of this product are not considered to be a vPvB.

**12.6 Endocrine disrupting properties**

No data available.

**12.7 Other adverse effects**

No data available.

**12.8 Other information**

Other information
Do not discharge product unmonitored into the environment.

**SECTION 13: Disposal considerations****13.1 Waste treatment methods****Product**

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

**Packaging**

Used, completely emptied, packaging may be disposed of or passed to recovery systems in compliance with national and local provisions related to waste legislation. Like the unused product, the packaging that has not been emptied, may be disposed of or passed to recovery systems in compliance with national and local provisions related to waste legislation.

**SECTION 14: Transport information****14.1 Transport ADR/RID/ADN**

Class	3
Classification code	F1
Packing group	II
Hazard identification no.	33
UN number	UN1210
Proper shipping name	PRINTING INK RELATED MATERIAL
Special Provision 640	640C
Tunnel restriction code	D/E
Label	3

**14.2 Transport IMDG**

Class	3
Packing group	II
UN number	UN1210
Proper shipping name	PRINTING INK RELATED MATERIAL

Trade name: 77001-00107, solvent

Product no.: 77001-00107

Current version : 1.0.0, issued: 29.04.2021

Replaced version: -, issued: -

Region: GB

EmS	F-E, S-D
Label	3

**14.3 Transport ICAO-TI / IATA**

Class	3
Packing group	II
UN number	UN1210
Proper shipping name	Printing ink related material
Label	3

**14.4 Other information**

No data available.

**14.5 Environmental hazards**

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

**14.6 Special precautions for user**

No data available.

**14.7 Maritime transport in bulk according to IMO instruments**

Not relevant

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulations****Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)**

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

**REACH candidate list of substances of very high concern (SVHC) for authorisation**

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

**Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES**

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII.	No 3, 40
--	----------

**Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances**

This product is subject to Part I of Annex I, risk category:	P5b
--	-----

**Other regulations**

Adhere to the national sanitary and occupational safety regulations when using this product.

**15.2 Chemical safety assessment**

A Chemical Safety Assessment has been carried out for one or more of the substances within this mixture.

**SECTION 16: Other information****Sources of key data used to compile the data sheet:**

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

**Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)**

---

**Trade name:** 77001-00107, solvent**Product no.:** 77001-00107**Current version :** 1.0.0, issued: 29.04.2021**Replaced version:** -, issued: -**Region:** GB

---

C                      Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.

**Creation of the safety data sheet**

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: [umco@umco.de](mailto:umco@umco.de)

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID        775353