

**Trade name:** 70000-00156, ink, black

**Product no.:** 70000-00156

**Current version :** 1.0.1, issued: 24.07.2023

**Replaced version:** 1.0.0, issued: 12.06.2023

**Region:**  
GER

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**Trade name**

**70000-00156, ink, black**

**70000-00256, ink, black**

**UFI:**

**9TM3-D0N4-A009-8D9R**

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified uses of the substance or mixture**

printer's ink

Ink

**Uses advised against**

No data available.

### 1.3 Details of the supplier of the safety data sheet

**Address**

Paul Leibinger GmbH & Co. KG

Daimlerstasse 14

78532 Tuttingen

Telephone no. +49 (0)7461 9286 0

Fax no. +49 (0)7461 9286 119

e-mail info@leibinger-group.com

**Advice on Safety Data Sheet**

sdb\_info@umco.de

**Subsidiary USA:**

**Address**

Paul Leibinger Inc

2702 Buell Drive, Suite B

East Troy, WI 52120 USA

Phone: +01 262 642 4030

### 1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

For medical advice in the USA (Transport & Environment):

+1 800 255 3924 (24h service)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

**Classification in accordance with Regulation (EC) No 1272/2008 (CLP)**

Eye Irrit. 2; H319

Flam. Liq. 2; H225

STOT SE 3; H336

**Classification information**

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

### 2.2 Label elements

Trade name: 70000-00156, ink, black

Product no.: 70000-00156

Current version : 1.0.1, issued: 24.07.2023

Replaced version: 1.0.0, issued: 12.06.2023

Region:  
GER

**Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)**

**Hazard pictograms**



GHS02



GHS07

**Signal word**

Danger

**Hazardous component(s) to be indicated on label:**

butanone

**Hazard statement(s)**

H225 Highly flammable liquid and vapour.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness.

**Hazard statements (EU)**

EUH066 Repeated exposure may cause skin dryness or cracking.

**Precautionary statement(s)**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P240 Ground and bond container and receiving equipment.  
P241 Use explosion-proof electrical/ventilating/lighting/ equipment.  
P242 Use non-sparking tools.  
P243 Take action to prevent static discharges.  
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P370+P378 In case of fire: Use water spray, extinguishing powder, foam or CO2 to extinguish.

**UFI:**

9TM3-D0N4-A009-8D9R

**2.3 Other hazards**

PBT assessment  
No data available.  
vPvB assessment  
No data available.

**SECTION 3: Composition/information on ingredients**

**3.1 Substances**

Not applicable. The product is not a substance.

**3.2 Mixtures**

**Hazardous ingredients**

No	Substance name	Classification (EC) 1272/2008 (CLP)	Additional information	%
	CAS / EC / Index / REACH no		Concentration	
1	butanone			
	78-93-3 201-159-0 606-002-00-3 -	EUH066 Eye Irrit. 2; H319 Flam. Liq. 2; H225 STOT SE 3; H336	>= 70,00 - < 90,00	wt%
2	ethyl-acetate			

**Trade name:** 70000-00156, ink, black**Product no.:** 70000-00156**Current version :** 1.0.1, issued: 24.07.2023**Replaced version:** 1.0.0, issued: 12.06.2023**Region:**  
GER

141-78-6 205-500-4 607-022-00-5 -	EUH066 Eye Irrit. 2; H319 Flam. Liq. 2; H225 STOT SE 3; H336	< 2,50	wt%
--	---	--------	-----

Full Text for all H-phrases and EUH-phrases: pls. see section 16

**SECTION 4: First aid measures****4.1 Description of first aid measures****General information**

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. In case of persisting adverse effects, consult a physician.

**After inhalation**

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air.

**After skin contact**

In case of contact with skin wash off with water.

**After eye contact**

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get medical attention if pain still persists.

**After ingestion**

Rinse the mouth thoroughly with water. Do not induce vomiting. Never give anything by mouth to an unconscious person.

**4.2 Most important symptoms and effects, both acute and delayed**

No data available.

**4.3 Indication of any immediate medical attention and special treatment needed**

No data available.

**SECTION 5: Firefighting measures****5.1 Extinguishing media****Suitable extinguishing media**

Alcohol resistant foam, CO<sub>2</sub>, powders, water spray

**Unsuitable extinguishing media**

High power water jet

**5.2 Special hazards arising from the substance or mixture**

In the event of fire, the following can be released: Carbon dioxide (CO<sub>2</sub>); Carbon monoxide (CO)

**5.3 Advice for firefighters**

Use self-contained breathing apparatus. Wear protective clothing. Containers close to fire should be transferred to a safe place. Cool closed containers exposed to fire with water.

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures****For non-emergency personnel**

Refer to protective measures listed in sections 7 and 8. Keep away from ignition sources.

**For emergency responders**

Personal protective equipment (PPE) - see section 8.

**6.2 Environmental precautions**

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

**6.3 Methods and material for containment and cleaning up**

**Trade name:** 70000-00156, ink, black**Product no.:** 70000-00156**Current version :** 1.0.1, issued: 24.07.2023**Replaced version:** 1.0.0, issued: 12.06.2023**Region:**  
GER

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

**6.4 Reference to other sections**

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

**SECTION 7: Handling and storage****7.1 Precautions for safe handling****Advice on safe handling**

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances.

**General protective and hygiene measures**

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing.

**Advice on protection against fire and explosion**

Keep away from ignition sources and provide for good ventilation. Vapours can form an explosive mixture with air. Isolate from sources of heat, sparks and open flame. Take precautionary measures against electrostatic loading (earthing necessary during loading operations). Use explosion-proof equipment/fittings and non-sparking tools.

**7.2 Conditions for safe storage, including any incompatibilities****Technical measures and storage conditions**

Keep container tightly closed and dry in a cool, well-ventilated place.

**Recommended storage temperature**

Value 10 - 25 °C

**Requirements for storage rooms and vessels**

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

**Incompatible products**

Substances to be avoided, see section 10.

**Storage Class according TRGS 510**

3 Flammable liquids

**7.3 Specific end use(s)****Recommendations**

Ink for industrial CIJ printers

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Occupational exposure limit values**

No	Substance name	CAS no.	EC no.
1	butanone	78-93-3	201-159-0
	<b>TRGS 900</b>		
	Butanon		
	WEL long-term (8-hr TWA reference period)	600	mg/m <sup>3</sup> 200 ml/m <sup>3</sup>
	Ceiling Limit	1(I)	
	Skin resorption / sensibilisation	H	
	Notes	Y	
	<b>2000/39/EC</b>		
	Butanone		
	WEL short-term (15 min reference period)	900	mg/m <sup>3</sup> 300 ppm
	WEL long-term (8-hr TWA reference period)	600	mg/m <sup>3</sup> 200 ppm

**Trade name:** 70000-00156, ink, black

**Product no.:** 70000-00156

**Current version :** 1.0.1, issued: 24.07.2023

**Replaced version:** 1.0.0, issued: 12.06.2023

**Region:**  
GER

<b>2</b>	<b>ethyl-acetate</b>	<b>141-78-6</b>	<b>205-500-4</b>
	<b>2017/164/EU</b>		
	Ethyl acetate		
	WEL short-term (15 min reference period)	1468	mg/m <sup>3</sup> 400 ppm
	WEL long-term (8-hr TWA reference period)	734	mg/m <sup>3</sup> 200 ppm
	<b>TRGS 900</b>		
	Ethylacetat		
	WEL long-term (8-hr TWA reference period)	730	mg/m <sup>3</sup> 200 ml/m <sup>3</sup>
	Ceiling Limit	2(l)	
	Notes	Y	

**Biological limit values**

<b>No</b>	<b>Substance name</b>
<b>1</b>	<b>butanone</b>
	<b>TRGS 903</b>
	2-Butanon (Methylethylketon)
	parameter
	Value
	2-Butanon
	2
	mg/l
	Comments
	sample material
	Sampling moment
	DFG
	U
	b

**8.2 Exposure controls**

**Appropriate engineering controls**

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

**Personal protective equipment**

**Respiratory protection**

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

**Eye / face protection**

Safety glasses with side protection shield (EN 166)

**Hand protection**

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

**Other**

Normal chemical work clothing.

**Environmental exposure controls**

No data available.

**SECTION 9: Physical and chemical properties**

**9.1 Information on basic physical and chemical properties**

<b>State of aggregation</b>
liquid
<b>Colour</b>
black
<b>Odour</b>

Trade name: 70000-00156, ink, black

Product no.: 70000-00156

Current version : 1.0.1, issued: 24.07.2023

Replaced version: 1.0.0, issued: 12.06.2023

Region:  
GER

ketone-like	
<b>pH value</b>	
No data available	
<b>Boiling point / boiling range</b>	
Value	> 75 °C
Source	supplier
<b>Melting point/freezing point</b>	
No data available	
<b>Decomposition temperature</b>	
No data available	
<b>Flash point</b>	
Value	-4 °C
Source	supplier
<b>Ignition temperature</b>	
Value	> 300 °C
Source	supplier
<b>Auto-ignition temperature</b>	
Source	supplier
Comments	Product is not selfigniting.
<b>Explosive properties</b>	
The product is not explosive. Formation of explosive/highly flammable air-vapour mixtures is possible during/after use.	
<b>Flammability</b>	
No data available	
<b>Lower explosion limit</b>	
Value	1,8 % vol
Source	supplier
<b>Upper explosion limit</b>	
Value	11,5 % vol
Source	supplier
<b>Vapour pressure</b>	
Value	<= 105 hPa
Source	supplier
<b>Relative vapour density</b>	
No data available	
<b>Relative density</b>	
No data available	
<b>Density</b>	
Value	0,86 - 0,89 g/cm <sup>3</sup>
Reference temperature	20 °C
Source	supplier
<b>Solubility in water</b>	
Source	supplier
Comments	difficult to mix
<b>Solubility</b>	
No data available	
<b>Partition coefficient n-octanol/water (log value)</b>	
No data available	

**Trade name:** 70000-00156, ink, black**Product no.:** 70000-00156**Current version :** 1.0.1, issued: 24.07.2023**Replaced version:** 1.0.0, issued: 12.06.2023**Region:**  
GER

Kinematic viscosity			
Value	20	mPa*s	
Reference temperature	20	°C	
Type	dynamic		
Source	supplier		

Solvent content			
Value	73	- 78	%

Solids content			
Value	22	- 27	%

Particle characteristics			
No data available			

**9.2 Other information**

Other information
VOC (EU): 627,8 - 694,2 g/l

**SECTION 10: Stability and reactivity****10.1 Reactivity**

Dangerous reactions are not expected if the product is handled according to its intended use.

**10.2 Chemical stability**

Stable under recommended storage and handling conditions (See section 7).

**10.3 Possibility of hazardous reactions**

Dangerous reactions are not to be expected when handling product according to its intended use.

**10.4 Conditions to avoid**

Heat, naked flames and other ignition sources.

**10.5 Incompatible materials**

None known.

**10.6 Hazardous decomposition products**

None, if handled according to intended use.

**SECTION 11: Toxicological information****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Acute oral toxicity
No data available

Acute dermal toxicity
No data available

Acute inhalational toxicity
No data available

Skin corrosion/irritation
No data available

Serious eye damage/irritation
No data available

Respiratory or skin sensitisation
No data available

Germ cell mutagenicity
No data available

Reproduction toxicity

**Trade name:** 70000-00156, ink, black

**Product no.:** 70000-00156

**Current version :** 1.0.1, issued: 24.07.2023

**Replaced version:** 1.0.0, issued: 12.06.2023

**Region:**  
GER

No data available
-------------------

<b>Carcinogenicity</b>
No data available

<b>STOT - single exposure</b>
No data available

<b>STOT - repeated exposure</b>
No data available

<b>Aspiration hazard</b>
No data available

**11.2 Information on other hazards**

**Endocrine disrupting properties**  
No data available.

**Other information**  
No data available.

**SECTION 12: Ecological information**

**12.1 Toxicity**

<b>Toxicity to fish (acute)</b>
No data available

<b>Toxicity to fish (chronic)</b>
No data available

<b>Toxicity to Daphnia (acute)</b>
No data available

<b>Toxicity to Daphnia (chronic)</b>
No data available

<b>Toxicity to algae (acute)</b>
No data available

<b>Toxicity to algae (chronic)</b>
No data available

<b>Bacteria toxicity</b>
No data available

**12.2 Persistence and degradability**

No data available.

**12.3 Bioaccumulative potential**

No data available.

**12.4 Mobility in soil**

No data available.

**12.5 Results of PBT and vPvB assessment**

Results of PBT and vPvB assessment	
PBT assessment	No data available.
vPvB assessment	No data available.

**12.6 Endocrine disrupting properties**

No data available.

**12.7 Other adverse effects**

No data available.

**Trade name:** 70000-00156, ink, black

**Product no.:** 70000-00156

**Current version :** 1.0.1, issued: 24.07.2023

**Replaced version:** 1.0.0, issued: 12.06.2023

**Region:**  
GER

**12.8 Other information**

**Other information**

Do not discharge product unmonitored into the environment.

**SECTION 13: Disposal considerations**

**13.1 Waste treatment methods**

**Product**

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility.

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

**Packaging**

Used, completely emptied, packaging may be disposed of or passed to recovery systems in compliance with national and local provisions related to waste legislation. Like the unused product, the packaging that has not been emptied, may be disposed of or passed to recovery systems in compliance with national and local provisions related to waste legislation.

**SECTION 14: Transport information**

**14.1 Transport ADR/RID/ADN**

Class	3
Classification code	F1
Packing group	II
Hazard identification no.	33
UN number	UN1210
Proper shipping name	PRINTING INK
Special Provision 640	640C
Tunnel restriction code	D/E
Label	3

**14.2 Transport IMDG**

Class	3
Packing group	II
UN number	UN1210
Proper shipping name	PRINTING INK
EmS	F-E, S-D
Label	3

**14.3 Transport ICAO-TI / IATA**

Class	3
Packing group	II
UN number	UN1210
Proper shipping name	Printing ink
Label	3

**14.4 Other information**

No data available.

**14.5 Environmental hazards**

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

**14.6 Special precautions for user**

No data available.

**14.7 Maritime transport in bulk according to IMO instruments**

Not relevant

**SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Trade name:** 70000-00156, ink, black**Product no.:** 70000-00156**Current version :** 1.0.1, issued: 24.07.2023**Replaced version:** 1.0.0, issued: 12.06.2023**Region:**  
GER

### EU regulations

**Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)**

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

**REACH candidate list of substances of very high concern (SVHC) for authorisation**

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

**Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES**

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII. No 3, 40

The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

No	Substance name	CAS no.	EC no.	No
1	butanone	78-93-3	201-159-0	75
2	ethyl-acetate	141-78-6	205-500-4	75

**Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances**

This product is subject to Part I of Annex I, risk category: P5b

**Other regulations**

Adhere to the national sanitary and occupational safety regulations when using this product.

### National regulations

**Water Hazard Class (Germany)**

Class

1

Source

Classification according to AwSV (Regulation on facilities for handling substances that are hazardous to water).

## 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out.

## SECTION 16: Other information

**Sources of key data used to compile the data sheet:**

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

**Creation of the safety data sheet**

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 775343