

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 10/9/2024 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form Trade name UFI	: Mixture : KORTHO INK K8 BLUE : HRA0-U0PY-900E-C3T9
Product code	: 053827
Product group	: Trade product
Other means of identification	: 053827 - Kortho Ink K8 Blue 1 L

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category	:	Industrial use, Professional use
Use of the substance/mixture	:	Ink

Title	Life cycle stage	Use descriptors
KORTHO INK K8 BLUE, 1 L	Industrial, Professional	SU0, PC18, PROC0

Full text of use descriptors: see section 16

1.3. Details of the supplier of the safety data sheet

Distributor Korthofah B.V. Lageweg 39 2222 AG Katwijk ZH The Netherlands T +31 714 060 480 export@kortho.nl, https://www.kortho.com

1.4. Emergency telephone number

Country/Area	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 2	H225
Serious eye damage/eye irritation, Category 1	H318
Specific target organ toxicity – Single exposure, Category 3,	H336
Narcosis	

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 1272	/2008 [CLP]
Hazard pictograms (CLP)	
Signal word (CLP)	GHS02 GHS05 GHS07 : Danger
Contains	: ethyl acetate; propan-1-ol; 1-Ethoxypropan-2-ol; 1-methoxypropan-2-ol; n-butyl acetate
Hazard statements (CLP)	 Highly flammable liquid and vapour. H318 - Causes serious eye damage. H336 - May cause drowsiness or dizziness.
Precautionary statements (CLP)	 P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 - Keep container tightly closed. P235 - Keep cool. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor. P403+P235 - Store in a well-ventilated place. Keep cool.
EUH-statements	: EUH066 - Repeated exposure may cause skin dryness or cracking.
2.3. Other hazards	

Other hazards which do not result in classification : Contains: Nitrocellulose. In use may form flammable/explosive vapour-air mixture.

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Component	
Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	propan-1-ol (71-23-8)
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	propan-1-ol (71-23-8)

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Product name	Product identifier	% w/w (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
ethanol; ethyl alcohol substance with national workplace exposure limit(s) (GB)	CAS-No.: 64-17-5 EC-No.: 200-578-6 EC Index-No.: 603-002-00-5 REACH-no: 01-2119457610- 43	30 – 50	Flam. Liq. 2, H225 Eye Irrit. 2, H319
1-methoxypropan-2-ol substance with national workplace exposure limit(s) (GB); substance with a Community workplace exposure limit	CAS-No.: 107-98-2 EC-No.: 203-539-1 EC Index-No.: 603-064-00-3 REACH-no: 01-2119457435- 35	20 – 30	Flam. Liq. 3, H226 STOT SE 3, H336

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Product name	Product identifier	% w/w (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
ethyl acetate substance with national workplace exposure limit(s) (GB); substance with a Community workplace exposure limit	CAS-No.: 141-78-6 EC-No.: 205-500-4 EC Index-No.: 607-022-00-5 REACH-no: 01-2119475103- 46	5 – 10	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
1-Ethoxypropan-2-ol	CAS-No.: 1569-02-4 EC-No.: 216-374-5 EC Index-No.: 603-177-00-8 REACH-no: 01-2119462792- 32	5 – 10	Flam. Liq. 3, H226 Eye Irrit. 2, H319 STOT SE 3, H336
propan-1-ol substance with national workplace exposure limit(s) (GB)	CAS-No.: 71-23-8 EC-No.: 200-746-9 EC Index-No.: 603-003-00-0 REACH-no: 01-2119486761- 29	1 – 5	Flam. Liq. 2, H225 Eye Dam. 1, H318 STOT SE 3, H336
Di-"isononyl" phthalate substance with national workplace exposure limit(s) (GB)	CAS-No.: 28553-12-0 EC-No.: 249-079-5 REACH-no: 01-2119430798- 28	1 – 5	Not classified
n-butyl acetate substance with national workplace exposure limit(s) (GB); substance with a Community workplace exposure limit	CAS-No.: 123-86-4 EC-No.: 204-658-1 EC Index-No.: 607-025-00-1 REACH-no: 01-2119485493- 29	1 – 5	Flam. Liq. 3, H226 STOT SE 3, H336
maleic anhydride substance with national workplace exposure limit(s) (GB)	CAS-No.: 108-31-6 EC-No.: 203-571-6 EC Index-No.: 607-096-00-9 REACH-no: 01-2119472428- 31	0.001 – 0.01	Acute Tox. 4 (Oral), H302 STOT RE 1, H372 Skin Corr. 1B, H314 Eye Dam. 1, H318 Resp. Sens. 1, H334 Skin Sens. 1A, H317

Specific concentration limits:		
Product name	Product identifier	Specific concentration limits (% w/w (% w/w))
maleic anhydride	CAS-No.: 108-31-6 EC-No.: 203-571-6 EC Index-No.: 607-096-00-9 REACH-no: 01-2119472428- 31	(0.001 ≤ C ≤ 100) Skin Sens. 1A; H317

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. IF exposed or concerned: Get medical advice/attention.
First-aid measures after inhalation	 Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.
First-aid measures after skin contact	: Rinse skin with water/shower. Take off immediately all contaminated clothing. Repeated exposure may cause skin dryness or cracking.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
10/9/2024 (Issue date)	EN (English) 3/20

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Symptoms/effects after inhalation	: May cause respiratory irritation.	
Symptoms/effects after eye contact	: Causes serious eye damage.	

When in doubt or if symptoms are observed, get medical advice.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	Alcohol resistant foam. Dry powder. Carbon dioxide. Water spray. Sand.Do not use a heavy water stream.
5.2. Special hazards arising from the subs	tance or mixture
Fire hazard Explosion hazard Hazardous decomposition products in case of fire	 Highly flammable liquid and vapour. The vapours are denser than air and may travel along the ground. Distance ignition possible. May form flammable/explosive vapour-air mixture. Carbon dioxide. Carbon monoxide. Nitrogen oxides (NOx).
5.3. Advice for firefighters	
Firefighting instructions Protection during firefighting	 Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment. Do not enter fire area without proper protective equipment, including respiratory protection. Self-contained breathing apparatus when in close proximity to fire.

SECTION 6: Accidental release measures				
6.1. Personal precautions, protective	equipment and emergency procedures			
General measures	: Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.			
For non-emergency personnel				
Emergency procedures	: Evacuate unnecessary personnel.			
For emergency responders				
Protective equipment Emergency procedures	: Use self-contained breathing apparatus and chemically protective clothing.: Ventilate area.			
6.2. Environmental precautions				

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up				
Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possil Collect spillage. Store away from other materials.				
6.4. Reference to other sections				

See Section 8. Exposure controls and personal protection. Concerning disposal elimination after cleaning, see section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Handle empty containers with care because residual vapours are flammable.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. No open flames. No smoking. Use only non-sparking tools. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing vapours.
7.2. Conditions for safe storage, including a	any incompatibilities
Technical measures	: Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment.
Storage conditions	: Keep only in the original container in a cool well ventilated place. Keep in fireproof place. Keep container tightly closed.
Incompatible products	: Strong bases. Strong acids. Oxidizing agent.
Incompatible materials	: Sources of ignition. Direct sunlight. Heat sources.
7.3. Specific end use(s)	

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure and biological limit values

ethanol; ethyl alcohol (64-17-5)				
United Kingdom - Occupational Exposure Limits				
Local name	Ethanol			
WEL TWA (OEL TWA)	1920 mg/m ³			
	1000 ppm			
WEL STEL (OEL STEL)	5760 mg/m ³ (calculated)			
	3000 ppm (calculated)			
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE			
ethyl acetate (141-78-6)				
EU - Indicative Occupational Exposure Limit (IOEL)				
Local name	Ethyl acetate			
IOEL TWA	734 mg/m³			
	200 ppm			
IOEL STEL	1468 mg/m ³			
	400 ppm			
Regulatory reference	COMMISSION DIRECTIVE (EU) 2017/164			
United Kingdom - Occupational Exposure Limits				
Local name	Ethyl acetate			
WEL TWA (OEL TWA)	734 mg/m ³			
	200 ppm			
WEL STEL (OEL STEL)	1468 mg/m ³			
	400 ppm			
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE			

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Di-"isononyl" phthalate (28553-12-0)				
United Kingdom - Occupational Exposure Limits				
Local name	Diisononyl phthalate			
WEL TWA (OEL TWA)	5 mg/m³			
WEL STEL (OEL STEL)	15 mg/m³ (calculated)			
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE			
maleic anhydride (108-31-6)				
United Kingdom - Occupational Exposure Limits				
Local name	Maleic anhydride			
WEL TWA (OEL TWA)	1 mg/m ³			
WEL STEL (OEL STEL)	3 mg/m ³			
Remark	Sen (Capable of causing occupational asthma)			
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE			
propan-1-ol (71-23-8)				
United Kingdom - Occupational Exposure Limits				
Local name	Propan-1-ol			
WEL TWA (OEL TWA)	500 mg/m³			
	200 ppm			
WEL STEL (OEL STEL)	625 mg/m³			
	250 ppm			
Remark	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)			
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE			
n-butyl acetate (123-86-4)				
EU - Indicative Occupational Exposure Limit (IOEL)				
Local name	n-Butyl acetate			
IOEL TWA	241 mg/m ³ 241 mg/m ³			
	50 ppm			
IOEL STEL	723 mg/m³ 723 mg/m³			
	150 ppm 150 ppm			
Regulatory reference	COMMISSION DIRECTIVE (EU) 2019/1831 COMMISSION DIRECTIVE (EU) 2019/1831			
United Kingdom - Occupational Exposure Limits	·			
Local name	Butyl acetate			
WEL TWA (OEL TWA)	724 mg/m ³			
	150 ppm			
WEL STEL (OEL STEL)	966 mg/m³			
	200 ppm			

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

n-butyl acetate (123-86-4)			
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE		
1-methoxypropan-2-ol (107-98-2)			
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	1-Methoxypropanol-2		
IOEL TWA	375 mg/m³ 375 mg/m³		
	100 ppm		
IOEL STEL	568 mg/m³ 568 mg/m³		
	150 ppm 150 ppm		
Remark	Skin Skin		
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC COMMISSION DIRECTIVE 2000/39/EC		
United Kingdom - Occupational Exposure Limits			
Local name	1-Methoxypropan-2-ol		
WEL TWA (OEL TWA)	375 mg/m ³		
	100 ppm		
WEL STEL (OEL STEL)	560 mg/m³		
	150 ppm		
Remark	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)		
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE		

8.2. Exposure controls

Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure. Gloves. Protective clothing. Safety glasses. **Personal protective equipment symbol(s):**



Eye and face protection

Eye protection:

Wear eye glasses with side protection according to EN 166.

Eye protection				
Type Field of application Characteristics Standard				
Safety glasses	Droplet	With side shields	EN 166	

Skin protection

Skin and body protection:

Wear suitable protective clothing

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Skin and body protection	
Туре	Standard
Overall, Lab coat	EN 1149-1

Hand protection:

Wear suitable gloves resistant to chemical penetration. Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer. The protective gloves to be used must comply with the specifications of the regulation 2016/425 and the resultant standard ISO 374-1

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Butyl rubber	3 (> 60 minutes)	> 0.4	3 (> 0.65)	EN ISO 374

Respiratory protection

Respiratory protection:

Not necessary with sufficient ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. An approved organic vapour respirator/supplied air or self-contained breathing apparatus must be used when vapour concentration exceeds applicable exposure limits

Respiratory protection			
Device	Filter type	Condition	Standard
Full face mask	Type A - High-boiling (>65 °C) organic compounds	If conc. in air > exposure limit	EN 14387

Environmental exposure controls

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Blue.
Odour	: alcoholically.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: > 64.7 °C
Flammability	: Not available
Lower explosion limit	: 0.4 vol %
Upper explosion limit	: 13.5 vol %
Flash point	: 11 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
рН	: Not available
Viscosity, kinematic	: Not available
Viscosity, dynamic	: ≥ $15 - \le 30$ Seconds DinCup 4
Solubility	: insoluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: 0.9 g/cm ³
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

maleic anhydride (108-31-6)		
Boiling point	≈ 185 °C Atm. press.: 101 kPa Decomposition: 'no'	
Flash point 103 °C		
9.2. Other information		

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable in use and storage conditions as recommended in item 7.

10.3. Possibility of hazardous reactions

No dangerous reactions known.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008		
Acute toxicity (dermal)	Not classified Not classified Not classified	
ethanol; ethyl alcohol (64-17-5)		
LD50 oral rat	1187 – 15010 mg/kg bodyweight Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 9720 - 11380	
LD50 oral	8300 mg/kg bodyweight Animal: mouse	
LD50 dermal rabbit	> 20000 mg/kg (Symptoms: Redness, pain)	
LD50 dermal	15800 mg/kg bodyweight	
LC50 Inhalation - Rat	124.7 mg/l/4h (Symptoms include headache, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness)	
ATE vapours	124.7 mg/l/4h	
ATE dust/mist	124.7 mg/l/4h	
ethyl acetate (141-78-6)		
LD50 oral rat	11.3 ml/kg	
LD50 dermal rat	20000 mg/kg	
LD50 dermal rabbit	20000 mg/kg bodyweight Animal: rabbit, Animal sex: male	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ethyl acetate (141-78-6)	
ATE dermal	20000 mg/kg bodyweight
Di-"isononyl" phthalate (28553-12-0)	
LD50 oral rat	> 10000 mg/kg bodyweight Animal: rat
LD50 dermal rabbit	> 3160 mg/kg bodyweight Animal: rabbit, Animal sex: female
LC50 Inhalation - Rat	> 4.4 mg/l air Animal: rat, Guideline: other:
1-Ethoxypropan-2-ol (1569-02-4)	
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: EU Method B.3 (Acute Toxicity (Dermal))
LC50 Inhalation - Rat	> 9.59 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Guideline: EU Method B.2 (Acute Toxicity (Inhalation))
maleic anhydride (108-31-6)	·
LD50 dermal rabbit	2620 mg/kg bodyweight Animal: rabbit, Animal sex: female, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
ATE oral	500 mg/kg bodyweight
ATE dermal	2620 mg/kg bodyweight
propan-1-ol (71-23-8)	
LD50 oral rat	8000 mg/kg bodyweight
LD50 dermal rabbit	4032 mg/kg bodyweight Animal: rabbit, Animal sex: male, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), 95% CL: 2720 - 5968
ATE oral	8000 mg/kg bodyweight
ATE dermal	4032 mg/kg bodyweight
n-butyl acetate (123-86-4)	
LD50 oral rat	10760 mg/kg bodyweight
LD50 dermal rabbit	16 ml/kg
LC50 Inhalation - Rat	740 – 71500 mg/m³
LC50 Inhalation - Rat [ppm]	1087 – 1109 ppm
1-methoxypropan-2-ol (107-98-2)	1
LD50 oral rat	4277 mg/kg
LD50 dermal rat	> 2000 mg/kg
ATE oral	4277 mg/kg bodyweight
Skin corrosion/irritation :	Not classified
n-butyl acetate (123-86-4)	
рН	6.2 Temp.: 20 °C Concentration: 5,3 g/L
Serious eye damage/irritation :	Causes serious eye damage.
n-butyl acetate (123-86-4)	
рН	6.2 Temp.: 20 °C Concentration: 5,3 g/L
	Not classified
Germ cell mutagenicity :	Not classified
	Not classified
ethanol; ethyl alcohol (64-17-5)	
IARC group	1 - Carcinogenic to humans

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ethanol; ethyl alcohol (64-17-5) NOAEL (animal/male, F0/P) 13800 mg/kg bodyweight Di-"isononyl" phthalate (28553-12-0) NOAEL (animal/female, F1) 200 – 260 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: other:, Guideline: EPA OTS 798.4700 (Reproduction and Fertility Effects) STOT-single exposure : May cause drowsiness or dizziness. ethyl acctate (141-78-6) UOAEL (oral, rat) LOAEL (oral, rat) 3600 mg/kg bodyweight NOAEL (oral, rat) 900 mg/kg bodyweight STOT-single exposure May cause drowsiness or dizziness. 1-Ethoxypropan-2-ol (1569-02-4) STOT-single exposure STOT-single exposure May cause drowsiness or dizziness. propan-1-ol (71-23-8) STOT-single exposure STOT-single exposure May cause drowsiness or dizziness. n-butyl acctate (123-86-4) STOT-single exposure STOT-single exposure May cause drowsiness or dizziness. n-butyl acctate (123-86-4) STOT-single exposure STOT-single exposure May cause drowsiness or dizziness. 1-methoxypropan-2-ol (107-98-2) STOT-single exposure	Di-"isononyl" phthalate (28553-12-0)	
Regnodución toxidiy Not dassified Reprodución toxidiy toxido (64-17-5) Is300 mg/kg bodyweight NOAEL (animal/male, FOP) Is300 mg/kg bodyweight Animai: rat, Animal sex: female, Guideline: other, Guideline: EPA OTS 7974 000 (Reproducion and Fertility Effects) D1-"isononyl" phthalate (28552-12-0) Way cause drowsiness or dizziness. CTO-riangle exposure Way cause drowsiness or dizziness. ethyl accetate (141-78-6) S00 mg/kg bodyweight LOAEL (oral, rai) 900 mg/kg bodyweight NOAEL (oral, rai) 900 mg/kg bodyweight STOT-single exposure May cause drowsiness or dizziness. STOT-single exposure May cause drowsiness or dizziness. Propens-1-01 (71-23-8) May cause drowsiness or dizziness. STOT-single exposure May cause drowsiness or dizziness. Protexter (123-86-1) May cause drowsiness or dizziness. STOT-single exposure May cause drowsiness or dizziness. <	NOAEL (chronic, oral, animal/male, 2 years)	
ethanol: ethyl alcohol (64-17-5) 13800 mg/kg bodyweight NDAEL (animal/male, F0/P) 13800 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: other:, Guideline: EPA OTS 78/4700 (Reproduction and Fertility Effects) STOT-single exposure : May cause drowsiness or dizziness. ethyl accetate (141-78-6) EDA OTS 78/4700 (Reproduction and Fertility Effects) STOT-single exposure : May cause drowsiness or dizziness. ethyl accetate (141-78-6) EDA OTS 78/4700 (Reproduction and Fertility Effects) STOT-single exposure May cause drowsiness or dizziness. ethyl accetate (141-78-6) EDA OTS 78/4700 (Reproduction and Fertility Effects) STOT-single exposure May cause drowsiness or dizziness. TelEnoxypropan-2-ol (1569-02-4) STOT-single exposure STOT-single exposure May cause drowsiness or dizziness. propan-1-ol (71-23-8) STOT-single exposure STOT-single exposure May cause drowsiness or dizziness. stoT-single exposure Nad cause drowsiness or dizziness. STOT	NOAEL (chronic, oral, animal/female, 2 years)	
NOAEL (animal/male, F0/P) 13800 mg/kg bodyweight DI-"isononyl" phthalate (28553-12-0) 200 - 260 mg/kg bodyweight Animai: rat, Animal sex, female, Guideline: other:, Guideline: EPA OTS 798.4700 (Reproduction and Fertility Effects) STOT-single exposure : Eth or ST 798.4700 (Reproduction and Fertility Effects) STOT-single exposure : Eth or ST 798.4700 (Reproduction and Fertility Effects) DAEL (oral, rat) 3600 mg/kg bodyweight NOAEL (oral, rat) 900 mg/kg bodyweight STOT-single exposure May cause drowsiness or dizziness. Tot-single exposure May cause drowsiness or dizziness. STOT-single exposure May cause drowsiness or dizziness. STOT-single exposure May cause drowsiness or dizziness. Propan-1-01 (7123-8) May cause drowsiness or dizziness. STOT-single exposure May cause drowsiness or dizziness. notation (2000 Gef 2000 Gef	Reproductive toxicity :	Not classified
Di*"Isononyl" phthalate (28553-12-0) NOAEL (animal/temale, F1) 200 – 260 mg/kg bodyweight Animal: rat, Animal sex: temale, Guideline: other., Guideline: EPA OTS 788.4700 (Reproduction and Fortility Effects) STOT-single exposure : May cause drowsiness or dizziness. ethyl acetate (141-78-6) 200 – 260 mg/kg bodyweight LOAEL (oral, rat) 3600 mg/kg bodyweight NOAEL (oral, rat) 900 mg/kg bodyweight STOT-single exposure May cause drowsiness or dizziness. 1-Ethoxypropan-2-ol (1569-02-4) STOT-single exposure STOT-single exposure May cause drowsiness or dizziness. propan-1-ol (71-23-8) STOT-single exposure STOT-single exposure May cause drowsiness or dizziness. n-butyl acetate (123-86-4) STOT-single exposure STOT-single exposure May cause drowsiness or dizziness. STOT-single exposure May cause drowsiness or dizziness. STOT-single exposure Not classified ethanol: ethyl alcohol (64-17-5) LOAEL (oral, rat, 90 days) LOAEL (oral, rat, 90 days) 1700 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: EPA OPPTS arX100 (90-Day Oral Toxichy in Rodents) NOAEL (subchronic, oral, animal/male, 90 days) 4700 mg/kg bodyw	ethanol; ethyl alcohol (64-17-5)	
NOAEL (animal/emale, F1) 200 – 280 mg/kg bodyweight Animal: rat, Animal sex: tenale, Guideline: other., Guideline: EPA OTS 788 4700 (Reproduction and Fertility Effects) STOT-single exposure : May cause drowsiness or dizziness. LOAEL (oral, rat) 3600 mg/kg bodyweight NOAEL (ani, rat) 900 mg/kg bodyweight NOAEL (oral, rat) 900 mg/kg bodyweight NOAEL (oral, rat) 900 mg/kg bodyweight STOT-single exposure May cause drowsiness or dizziness. 1-Eitoxypropan-2-ol (1569-02-4) STOT-single exposure STOT-single exposure May cause drowsiness or dizziness. propan-1-ol (71-23-8) STOT-single exposure STOT-single exposure May cause drowsiness or dizziness. n-butyl acetate (123-86-4) STOT-single exposure STOT-single exposure May cause drowsiness or dizziness. STOT-single exposure Not cause drowsiness or dizziness. STOT-single exposure	NOAEL (animal/male, F0/P)	13800 mg/kg bodyweight
EPA OTS 788.4700 (Reproduction and Fentility Effects) STOT-single exposure Way cause drowsiness or dizziness. ethyl acctate (141-78-6) 500 mg/kg bodyweight NOAEL (oral, rat) 900 mg/kg bodyweight STOT-single exposure May cause drowsiness or dizziness. 1-Ethoxypropan-2-ol (1569-02-4) STOT-single exposure STOT-single exposure May cause drowsiness or dizziness. propan-1-ol (71-23-8) STOT-single exposure STOT-single exposure May cause drowsiness or dizziness. n-butyl acctate (123-86-4) STOT-single exposure STOT-single exposure May cause drowsiness or dizziness. 1-methoxypropan-2-ol (107-98-2) STOT-single exposure STOT-single exposure Nay cause drowsiness or dizziness. STOT-single exposure Nay cause drowsiness or dizziness. STOT-single exposure Var cause drowsiness or dizziness. STOT-single exposure Nay cause drowsiness or dizziness. STOT-single exposure Var cause drowsiness or dizziness. STOT-single exposure Stot cassified Unettanci ethyl alcohol (64-17-5) Stot cassified NOAEL (oral, rat, 90 days) 6.66 mg/l NOAEL (subchronic, oral, animal/	Di-"isononyl" phthalate (28553-12-0)	
ethyl acetate (141-78-6) LOAEL (oral, rat) 3600 mg/kg bodyweight NOAEL (oral, rat) 900 mg/kg bodyweight STOT-single exposure May cause drowsiness or dizziness. 1-Ethoxypropan-2-ol (1569-02-4) STOT-single exposure STOT-single exposure May cause drowsiness or dizziness. propan-1-ol (71-23-8) STOT-single exposure STOT-single exposure May cause drowsiness or dizziness. n-butyl acetate (123-86-4) STOT-single exposure STOT-single exposure May cause drowsiness or dizziness. 1-metoxypropan-2-ol (107-98-2) STOT-single exposure STOT-single exposure May cause drowsiness or dizziness. STOT-single exposure May cause drowsiness or dizziness. STOT-single exposure Nac cause drowsiness or dizziness. STOT-single exposure Nac cause drowsiness or dizziness. STOT-single exposure Not classified ethanol; ethyl alcohol (64-17-5) LOAEL (oral, rat, 90 days) LOAEL (oral, rat, 28 days) 6.66 mg/l NOAEL (subchronic, oral, animal/male, 90 days) < 1730 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)	NOAEL (animal/female, F1)	
LAREL (oral, rat)3600 mg/kg bodyweightNOAEL (oral, rat)900 mg/kg bodyweightSTOT-single exposureMay cause drowsiness or dizziness. 1-Ethoxypropan-2-ol (1569-02-4) STOT-single exposureMay cause drowsiness or dizziness. propan-1-ol (71-23-8) STOT-single exposureMay cause drowsiness or dizziness. n-butyl acetate (123-86-4) STOT-single exposureMay cause drowsiness or dizziness. 1-methoxypropan-2-ol (107-98-2) STOT-single exposureMay cause drowsiness or dizziness. 1-methoxypropan-2-ol (107-98-2) STOT-single exposureMay cause drowsiness or dizziness. 1-methoxypropan-2-ol (167-98-2) STOT-single exposureMay cause drowsiness or dizziness. 1-methoxypropan-2-ol (167-98-2) STOT-single exposureMay cause drowsiness or dizziness.STOT-single exposureMay cause drowsiness or dizziness.STOT-single exposureMay cause drowsiness or dizziness.STOT-single exposureNot classifiedethanol; ethyl alcohol (64-17-5)Ethonol; ethyl alcohol (64-17-6)LOAEL (oral, rat, 20 days)3200 mg/kg bodyweightNOAEL (inhalation, rat, 28 days)6.66 mg/lNOAEL (inhalation, rat, 28 days)6.67 mg/l storigt noise, animal sex: male, Guideline: EPA OPPTS 870 3100 (90-Day Oral Toxicity in Rodents)NOAEL (subchronic, oral, animal/male, 90 days)>4000 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: EPA OPPTS 870 3100 (90-Day Oral Toxicity in Rodents)ethyl acetate (141-78-6)EAA Oral Toxicity in Rodents)LOAEL (o	STOT-single exposure :	May cause drowsiness or dizziness.
NOAEL (oral, rat)900 mg/kg bodyweightSTOT-single exposureMay cause drowsiness or dizziness.1-Ethoxypropan-2-ol (1569-02-4)STOT-single exposureSTOT-single exposureMay cause drowsiness or dizziness.propan-1-ol (71-23-8)STOT-single exposureSTOT-single exposureMay cause drowsiness or dizziness.n-butyl acetate (123-86-4)STOT-single exposureSTOT-single exposureMay cause drowsiness or dizziness.1-methoxypropan-2-ol (107-98-2)STOT-single exposureSTOT-single exposureMay cause drowsiness or dizziness.5TOT-rapeated exposureMay cause drowsiness or dizziness.STOT-rapeated exposureNot causelifiedethanol; ethyl alcohol (64-17-5)LOAEL (oral, rat, 90 days)200 mg/kg bodyweightNOAEL (oral, rat, 28 days)NOAEL (intal. crat, az 28 days)6.66 mg/lNOAEL (ural, rat, 90 days)< 4700 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)	ethyl acetate (141-78-6)	
STOT-single exposure May cause drowsiness or dizziness. 1-Ethoxypropan-2-ol (1569-02-4) May cause drowsiness or dizziness. propan-1-ol (71-23-8) Formal May cause drowsiness or dizziness. STOT-single exposure May cause drowsiness or dizziness. n-butyl acetate (123-86-4) May cause drowsiness or dizziness. STOT-single exposure May cause drowsiness or dizziness. 1-methoxypropan-2-ol (107-98-2) STOT-single exposure STOT-single exposure May cause drowsiness or dizziness. 1-methoxypropan-2-ol (107-98-2) STOT-single exposure STOT-single exposure May cause drowsiness or dizziness. STOT-single exposure May cause drowsiness or dizziness. STOT-single exposure Not classified ethanol; ethyl alcohol (64-17-5) LOAEL (oral, rat, 90 days) LOAEL (oral, rat, 28 days) 1730 mg/kg bodyweight/day NOAEC (inhalation, rat, 28 days) 6.66 mg1 NOAEL (oral, rat, 28 days) <9700 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)	LOAEL (oral, rat)	3600 mg/kg bodyweight
1-Ethoxypropan-2-ol (1569-02-4) STOT-single exposure May cause drowsiness or dizziness. propan-1-ol (71-23-8) STOT-single exposure May cause drowsiness or dizziness. n-butyl acetate (123-86-4) STOT-single exposure May cause drowsiness or dizziness. 1-methoxypropan-2-ol (107-98-2) STOT-single exposure May cause drowsiness or dizziness. 1-methoxypropan-2-ol (107-98-2) STOT-single exposure May cause drowsiness or dizziness. STOT-single exposure Intertoxypropan-2-ol (107-98-2) LOAEL (oral, rat, 90 days) 3200 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxici	NOAEL (oral, rat)	900 mg/kg bodyweight
STOT-single exposure May cause drowsiness or dizziness. propan-1-ol (71-23-8) STOT-single exposure May cause drowsiness or dizziness. n-butyl acetate (123-86-4) STOT-single exposure May cause drowsiness or dizziness. 1-methoxypropan-2-ol (107-98-2) May cause drowsiness or dizziness. STOT-single exposure May cause drowsiness or dizziness. 1-methoxypropan-2-ol (107-98-2) May cause drowsiness or dizziness. STOT-rispeated exposure Not classified ethanol: ethyl alcohol (64-17-5) Z000 mg/kg bodyweight LOAEL (oral, rat, 28 days) 3200 mg/kg bodyweight/day NOAEC (inhalation, rat, 28 days) 6.66 mg/l NOAEL (subchronic, oral, animal/male, 90 days) < 9700 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents) NOAEL (subchronic, oral, animal/male, 90 days) > 9400 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents) ethyl acetate (141-78-6) Eucetate (141-78-6) LOAEL (oral, rat, 90 days) 3600 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test) NOAEL (oral, rat, 90 days) 3600 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test) Di-"isononyl" phthalate (28553-12-0)	STOT-single exposure	May cause drowsiness or dizziness.
propan-1-ol (71-23-8) May cause drowsiness or dizziness. STOT-single exposure May cause drowsiness or dizziness. n-butyl acetate (123-86-4) STOT-single exposure STOT-single exposure May cause drowsiness or dizziness. 1-methoxypropan-2-ol (107-98-2) STOT-single exposure STOT-single exposure May cause drowsiness or dizziness. STOT-single exposure Not classified ethanol; ethyl alcohol (64-17-5) EOAEL (oral, rat, 90 days) LOAEL (oral, rat, 28 days) 1730 mg/kg bodyweight NOAEC (inhalation, rat, 28 days) 6.66 mg/l NOAEL (oral, rat, 90 days) < 1730 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: EPA OPPTS a70.3100 (90-Day Oral Toxicity in Rodents)	1-Ethoxypropan-2-ol (1569-02-4)	
STOT-single exposure May cause drowsiness or dizziness. n-butyl acetate (123-86-4) May cause drowsiness or dizziness. STOT-single exposure May cause drowsiness or dizziness. 1-methoxypropan-2-ol (107-98-2) STOT-single exposure STOT-single exposure May cause drowsiness or dizziness. STOT-repeated exposure May cause drowsiness or dizziness. STOT-repeated exposure : Not classified ethanol; ethyl alcohol (64-17-5) EDAEL (oral, rat, 90 days) LOAEL (oral, rat, 28 days) 3200 mg/kg bodyweight NOAEL (oral, rat, 28 days) 6.66 mg/l NOAEL (oral, rat, 90 days) < 1730 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)	STOT-single exposure	May cause drowsiness or dizziness.
n-butyl acetate (123-86-4)STOT-single exposureMay cause drowsiness or dizziness.1-methoxypropan-2-ol (107-98-2)STOT-single exposureMay cause drowsiness or dizziness.STOT-repeated exposureNot classifiedethanol; ethyl alcohol (64-17-5)LOAEL (oral, rat, 90 days)3200 mg/kg bodyweightNOAEL (oral, rat, 28 days)1730 mg/kg bodyweight/dayNOAEL (oral, rat, 28 days)6.66 mg/lNOAEL (subchronic, oral, animal/male, 90 days)< 9700 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)NOAEL (subchronic, oral, animal/female, 90 days)> 9400 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)NOAEL (oral, rat, 90 days)3600 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)NOAEL (oral, rat, 90 days)3600 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: EPA OPPTS 	propan-1-ol (71-23-8)	
STOT-single exposure May cause drowsiness or dizziness. 1-methoxypropan-2-ol (107-98-2) STOT-single exposure May cause drowsiness or dizziness. STOT-repeated exposure Not classified ethanol; ethyl alcohol (64-17-5) UAEL (oral, rat, 90 days) LOAEL (oral, rat, 28 days) 3200 mg/kg bodyweight NOAEL (oral, rat, 28 days) 1730 mg/kg bodyweight/day NOAEL (oral, rat, 90 days) 6.66 mg/l NOAEL (oral, rat, 90 days) < 1730 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)	STOT-single exposure	May cause drowsiness or dizziness.
1-methoxypropan-2-ol (107-98-2) STOT-single exposure May cause drowsiness or dizziness. STOT-repeated exposure : Not classified ethanol; ethyl alcohol (64-17-5)	n-butyl acetate (123-86-4)	
STOT-single exposure May cause drowsiness or dizziness. STOT-repeated exposure : Not classified ethanol; ethyl alcohol (64-17-5) Jot classified LOAEL (oral, rat, 90 days) 3200 mg/kg bodyweight NOAEL (oral, rat, 28 days) 1730 mg/kg bodyweight/day NOAEL (oral, rat, 28 days) 6.66 mg/l NOAEL (oral, rat, 90 days) < 1730 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)	STOT-single exposure	May cause drowsiness or dizziness.
STOT-repeated exposure : Not classified ethanol; ethyl alcohol (64-17-5) LOAEL (oral, rat, 90 days) 3200 mg/kg bodyweight NOAEL (oral, rat, 28 days) 1730 mg/kg bodyweight/day NOAEL (inhalation, rat, 28 days) 6.66 mg/l NOAEL (oral, rat, 90 days) < 1730 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)	1-methoxypropan-2-ol (107-98-2)	
ethanol; ethyl alcohol (64-17-5)LOAEL (oral, rat, 90 days)3200 mg/kg bodyweightNOAEL (oral, rat, 28 days)1730 mg/kg bodyweight/dayNOAEC (inhalation, rat, 28 days)6.66 mg/lNOAEL (oral, rat, 90 days)< 1730 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)NOAEL (subchronic, oral, animal/female, 90 days)> 9400 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)NOAEL (subchronic, oral, animal/female, 90 days)> 9400 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)NOAEL (subchronic, oral, animal/female, 90 days)> 9400 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)ethyl acetate (141-78-6)Image: state stat	STOT-single exposure	May cause drowsiness or dizziness.
LOAEL (oral, rat, 90 days)3200 mg/kg bodyweightNOAEL (oral, rat, 28 days)1730 mg/kg bodyweight/dayNOAEC (inhalation, rat, 28 days)6.66 mg/lNOAEL (oral, rat, 90 days)< 1730 mg/kg bodyweight	STOT-repeated exposure :	Not classified
NOAEL (oral, rat, 28 days)1730 mg/kg bodyweight/dayNOAEC (inhalation, rat, 28 days)6.66 mg/lNOAEL (oral, rat, 90 days)< 1730 mg/kg bodyweight	ethanol; ethyl alcohol (64-17-5)	
NOAEC (inhalation, rat, 28 days)6.66 mg/lNOAEL (oral, rat, 90 days)< 1730 mg/kg bodyweight	LOAEL (oral, rat, 90 days)	3200 mg/kg bodyweight
NOAEL (oral, rat, 90 days)< 1730 mg/kg bodyweightNOAEL (subchronic, oral, animal/male, 90 days)< 9700 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)NOAEL (subchronic, oral, animal/female, 90 days)> 9400 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)NOAEL (subchronic, oral, animal/female, 90 days)> 9400 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)ethyl acetate (141-78-6)LOAEL (oral, rat, 90 days)3600 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test)NOAEL (oral, rat, 90 days)900 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test)Di-"isononyl" phthalate (28553-12-0)	NOAEL (oral, rat, 28 days)	1730 mg/kg bodyweight/day
NOAEL (subchronic, oral, animal/male, 90 days)< 9700 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)NOAEL (subchronic, oral, animal/female, 90 days)> 9400 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)ethyl acetate (141-78-6)LOAEL (oral, rat, 90 days)3600 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test)NOAEL (oral, rat, 90 days)900 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test)Di-"isononyl" phthalate (28553-12-0)	NOAEC (inhalation, rat, 28 days)	6.66 mg/l
870.3100 (90-Day Oral Toxicity in Rodents)NOAEL (subchronic, oral, animal/female, 90 days)> 9400 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)ethyl acetate (141-78-6)LOAEL (oral, rat, 90 days)3600 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test)NOAEL (oral, rat, 90 days)900 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test)Di-"isononyl" phthalate (28553-12-0)	NOAEL (oral, rat, 90 days)	< 1730 mg/kg bodyweight
ethyl acetate (141-78-6) LOAEL (oral, rat, 90 days) 3600 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test) NOAEL (oral, rat, 90 days) 900 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test) Di-"isononyl" phthalate (28553-12-0)	NOAEL (subchronic, oral, animal/male, 90 days)	
LOAEL (oral, rat, 90 days) 3600 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test) NOAEL (oral, rat, 90 days) 900 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test) Di-"isononyl" phthalate (28553-12-0) 900 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test)	NOAEL (subchronic, oral, animal/female, 90 days)	
Toxicity Test) NOAEL (oral, rat, 90 days) 900 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test) Di-"isononyl" phthalate (28553-12-0)	ethyl acetate (141-78-6)	
Di-"isononyl" phthalate (28553-12-0)	LOAEL (oral, rat, 90 days)	
	NOAEL (oral, rat, 90 days)	
NOAEL (dermal, rat/rabbit, 90 days) ≈ 500 mg/kg bodyweight Animal: rabbit	Di-"isononyl" phthalate (28553-12-0)	
	NOAEL (dermal, rat/rabbit, 90 days)	≈ 500 mg/kg bodyweight Animal: rabbit

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

1-Ethoxypropan-2-ol (1569-02-4)	
LOAEL (dermal, rat/rabbit, 90 days)	Animal: rabbit, Animal sex: male, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)
LOAEC (inhalation, rat, vapour, 90 days)	8.36 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study)
NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity in Rodents)
NOAEL (dermal, rat/rabbit, 90 days)	1800 mg/kg bodyweight Animal: rabbit, Animal sex: male, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)
NOAEC (inhalation, rat, vapour, 90 days)	1.266 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study)
maleic anhydride (108-31-6)	1
NOAEL (oral, rat, 90 days)	≈ 10 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 452 (Chronic Toxicity Studies)
NOAEC (inhalation, rat, vapour, 90 days)	≈ 0.0033 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study)
STOT-repeated exposure	Causes damage to organs (respiratory system) through prolonged or repeated exposure (inhalation).
propan-1-ol (71-23-8)	
NOAEC (inhalation, rat, dust/mist/fume, 90 days)	8 mg/l
n-butyl acetate (123-86-4)	
LOAEL (oral, rat, 90 days)	500 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 798.2650 (90-Day Oral Toxicity in Rodents)
NOAEL (oral, rat, 90 days)	125 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 798.2650 (90-Day Oral Toxicity in Rodents)
1-methoxypropan-2-ol (107-98-2)	
LOAEL (oral, rat, 90 days)	2757 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)
NOAEL (oral, rat, 90 days)	919 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)
NOAEL (dermal, rat/rabbit, 90 days)	> 1000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study)
Aspiration hazard :	Not classified
1-Ethoxypropan-2-ol (1569-02-4)	
Viscosity, kinematic	2.456 mm²/s
propan-1-ol (71-23-8)	
Viscosity, kinematic	2.875 mm²/s
n-butyl acetate (123-86-4)	
Viscosity, kinematic	0.83 mm ² /s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm ² /s)'
1-methoxypropan-2-ol (107-98-2)	
Viscosity, kinematic	1.848 mm²/s
11.2. Information on other hazards	

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 12: Ecological information 12.1. Toxicity : Not classified Hazardous to the aquatic environment, short-term (acute) Hazardous to the aquatic environment, long-term : Not classified (chronic) ethanol; ethyl alcohol (64-17-5) LC50 - Fish [1] 14.2 g/l Test organisms (species): Pimephales promelas LC50 - Fish [2] 13000 mg/l (Oncorhynchus mykiss (Rainbow trout)) > 10000 mg/l Test organisms (species): Daphnia magna EC50 - Crustacea [1] EC50 - Other aquatic organisms [1] 5012 mg/l Test organisms (species): Waterflea EC50 - Other aquatic organisms [2] 275 mg/l EC50 72h - Algae [1] 275 mg/l Chlorella vulgaris EC50 72h - Algae [2] 1450 Test organisms (species): Microcystis aeruginosa EC50 96h - Algae [1] ≈ 22000 mg/l NOEC (chronic) 9.6 mg/l Test organisms (species): Daphnia magna Duration: '9 d' NOEC chronic fish 250 mg/l Danio rerio ethyl acetate (141-78-6) LC50 - Fish [1] 230 mg/l NOEC (acute) > 9.65 mg/l (32d) NOEC (chronic) 2.4 mg/l Test organisms (species): Daphnia magna Duration: '21 d' NOEC chronic fish 9.65 mg/l (32 d) NOFC chronic crustacea 2.4 mg/l (21 d) Di-"isononyl" phthalate (28553-12-0) LC50 - Fish [1] > 102 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) > 74 mg/l Test organisms (species): Daphnia magna EC50 - Crustacea [1] EC50 72h - Algae [1] > 88 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) 1-Ethoxypropan-2-ol (1569-02-4) LC50 - Fish [1] 5300 mg/l QSAR EC50 - Crustacea [1] > 1000 mg/l Test organisms (species): Daphnia magna NOEC (chronic) > 180 mg/l Test organisms (species): Daphnia magna Duration: '21 d' NOEC chronic fish > 260 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '21 d' maleic anhydride (108-31-6) LC50 - Fish [1] 75 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) LC50 - Fish [2] 75 mg/l Test organisms (species): Lepomis macrochirus EC50 - Crustacea [1] 330 mg/l Test organisms (species): Daphnia magna EC50 72h - Algae [1] > 150 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

	, roganarion (20) 2020/010		
propan-1-ol (71-23-8)			
LC50 - Fish [1]	4555 mg/l Test organisms (species): Pimephales promelas		
EC50 - Crustacea [1]	3644 mg/l Test organisms (species): Daphnia magna		
EC50 72h - Algae [1]	9.17 g/l		
NOEC (chronic)	> 100 mg/l Test organisms (species): Daphnia magna Duration: '21 d'		
NOEC chronic crustacea	68.3 mg/l (21 d)		
NOEC chronic algae	1150 mg/l 48 h		
n-butyl acetate (123-86-4)			
LC50 - Fish [1]	18 mg/l Test organisms (species): Pimephales promelas		
EC50 - Crustacea [1]	44 mg/l Test organisms (species): Daphnia sp.		
EC50 72h - Algae [1]	397 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)		
EC50 72h - Algae [2]	246 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)		
LOEC (chronic)	47.6 mg/l Test organisms (species): Daphnia magna Duration: '21 d'		
NOEC (chronic)	23.2 mg/l Test organisms (species): Daphnia magna Duration: '21 d'		
1-methoxypropan-2-ol (107-98-2)			
LC50 - Fish [1]	20800 mg/l		
EC50 - Other aquatic organisms [1]	2954 mg/l Test organisms (species): other aquatic crustacea:		
12.2. Persistence and degradability			
KORTHO INK K8 BLUE			
Persistence and degradability	Rapidly degradable		
ethanol; ethyl alcohol (64-17-5)			
Persistence and degradability	Readily biodegradable.		
ethyl acetate (141-78-6)			
Persistence and degradability	Rapidly degradable		
Biodegradation	> 70 % OECD 301 D;MSDS Ethylacetat, Sasol		
Di-"isononyl" phthalate (28553-12-0)			
Persistence and degradability	Rapidly degradable		
1-Ethoxypropan-2-ol (1569-02-4)			
Persistence and degradability	Rapidly degradable		
Biodegradation	68 % (OECD 301D method)		

Biodegradation

maleic anhydride (108-31-6) Persistence and degradability

propan-1-ol (71-23-8) Persistence and degradability Rapidly degradable

Rapidly degradable

75 % 20 d

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

n-butyl acetate (123-86-4)			
Persistence and degradability	Rapidly degradable		
1-methoxypropan-2-ol (107-98-2)			
Persistence and degradability	Rapidly degradable		
12.3. Bioaccumulative potential			
ethanol; ethyl alcohol (64-17-5)			
BCF - Fish [1]	3		
Partition coefficient n-octanol/water (Log Pow)	-0.32		
Bioaccumulative potential	No bioaccumulation.		
ethyl acetate (141-78-6)			
Partition coefficient n-octanol/water (Log Pow)	0.68 – 0.73 @ 20 - 25 °C		
Di-"isononyl" phthalate (28553-12-0)			
BCF - Fish [1]	(183,8 dimensionless)		
Partition coefficient n-octanol/water (Log Pow)	8.8 – 9.7 @ 25 °C / pH 4.6		
1-Ethoxypropan-2-ol (1569-02-4)			
Partition coefficient n-octanol/water (Log Pow)	< 3		
propan-1-ol (71-23-8)			
Partition coefficient n-octanol/water (Log Pow)	0.2 @ 25 °C and pH 7		
Partition coefficient n-octanol/water (Log Kow)	0.2 @ 25 °C and pH 7		
n-butyl acetate (123-86-4)			
Partition coefficient n-octanol/water (Log Pow)	1.81 – 2.3 @ 25 °C		
1-methoxypropan-2-ol (107-98-2)			
Partition coefficient n-octanol/water (Log Kow)	0.37		
12.4. Mobility in soil			
ethanol; ethyl alcohol (64-17-5)			
Surface tension	0.02339 N/m @ 25 °C		
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1		
12.5. Results of PBT and vPvB assessment			
Component			
Cub stance (c) ast mosting the DDT subtrie of DEACU			

component	
Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	propan-1-ol (71-23-8)
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	propan-1-ol (71-23-8)

12.6. Endocrine disrupting properties

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.7. Other adverse effects

Additional information

: Avoid release to the environment.

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Regional waste regulation Product/Packaging disposal recommendations	 Waste disposal according to official state regulations. Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
Additional information Ecological waste information HP Code	 Handle empty containers with care because residual vapours are flammable. Avoid release to the environment. HP3 - "Flammable:" flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C; flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air; flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction; flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa; water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities; other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste. HP4 - "Irritant – skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR IMDG / IATA / ADN / RID				
ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number or ID n	umber			
UN 1210	UN 1210	UN 1210	UN 1210	UN 1210
14.2. UN proper shippin	g name			
PRINTING INK / PRINTING INK RELATED MATERIAL	PRINTING INK RELATED MATERIAL	Printing ink related material	PRINTING INK RELATED MATERIAL	PRINTING INK RELATED MATERIAL
Transport document descr	iption			
UN 1210 PRINTING INK / PRINTING INK RELATED MATERIAL, 3, II, (D/E)	UN 1210 PRINTING INK RELATED MATERIAL, 3, II	UN 1210 Printing ink related material, 3, II	UN 1210 PRINTING INK RELATED MATERIAL, 3, II	UN 1210 PRINTING INK RELATED MATERIAL, 3, II
14.3. Transport hazard o	class(es)			
3	3	3	3	3
14.4. Packing group	·	·		·
II	II	II	II	II

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR IMD	G	ΙΑΤΑ	ADN	RID
14.5. Environmental hazards	-			
14.5. Environmental nazaros			1	1
Dangerous for the Dangerou environment: No environm Marine poll EmS-No. (I EmS-No. (Sp	ent: No utant: No Fire): F-E	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information available.				
14.6. Special precautions for user				
Overland transport				
Classification code (ADR)	: F1			
Special provisions (ADR)	: 163	3, 367, 640C		
Limited quantities (ADR)	: 51			
Excepted quantities (ADR)	: E2			
Packing instructions (ADR)	: P0)1		
Special packing provisions (ADR)	: PP			
Vixed packing provisions (ADR)	: MP			
Portable tank and bulk container instructions				
Portable tank and bulk container special provi ADR)		1, TP8		
Tank code (ADR)	: L1.	58N		
Vehicle for tank carriage	: FL			
Transport category (ADR)	: 2			
Special provisions for carriage - Operation (Al		\$20		
Hazard identification number (Kemler No.)	: 33	320		
Drange plates	:	33 1210		
Funnel restriction code (ADR) EAC code	: D/E : •3Y			
Fransport by sea				
Special provisions (IMDG)	: 163	8, 367		
Limited quantities (IMDG)	: 5 L			
Excepted quantities (IMDG)	: E2			
Packing instructions (IMDG)	: P00)1		
Special packing provisions (IMDG)	: PP			
BC packing instructions (IMDG)	: IBC			
Fank instructions (IMDG)	: T4			
Fank special provisions (IMDG)		1, TP8		
Stowage category (IMDG)	: B	., •		
Properties and observations (IMDG)		id or viscous liquid containing	colouring matter in solution o	r suspension Miscibility w
		er depends upon the solvent.	•	a suspension. Inisolonity w
Air transport				
PCA Excepted quantities (IATA)	: E2			
PCA Limited quantities (IATA)	: Y34	11		
PCA limited quantity max net quantity (IATA)	: 1L			
PCA packing instructions (IATA)	: 353	3		
PCA max net quantity (IATA)	: 5L			
CAO packing instructions (IATA)	: 364	L		
CAO max net quantity (IATA)	: 601			
Special provisions (IATA)		- A72, A192		
ERG code (IATA)	: A3, : 3L	$\mathcal{M}\mathcal{L}, \mathcal{M}\mathcal{D}\mathcal{L}$		
	. 56			

Inland waterway transport

Classification code (A	NDN)
------------------------	------

: F1

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Special provisions (ADN): 163, 367, 640CLimited quantities (ADN): 5 LExcepted quantities (ADN): E2Equipment required (ADN): PP, EX, AVentilation (ADN): VE01Number of blue cones/lights (ADN): 1Rail transportClassification code (RID): F1Special provisions (RID): 163, 367, 640CLimited quantities (RID): 5LExcepted quantities (RID): 5LExcepted quantities (RID): 5LExcepted quantities (RID): E2Packing instructions (RID): PP1Mixed packing provisions (RID): MP19Portable tank and bulk container instructions (RID): T4Portable tank and bulk container special provisions: TP1, TP8(RID): L1.5BNTransport category (RID): 2Colis express (express parcels) (RID): CE7Hazard identification number (RID): 33		
Classification code (RID):F1Special provisions (RID):163, 367, 640CLimited quantities (RID):5LExcepted quantities (RID):E2Packing instructions (RID):P001Special packing provisions (RID):PP1Mixed packing provisions (RID):MP19Portable tank and bulk container instructions (RID):T4Portable tank and bulk container special provisions:TP1, TP8(RID):L1.5BNTransport category (RID):2Colis express (express parcels) (RID):CE7	Limited quantities (ADN) Excepted quantities (ADN) Equipment required (ADN) Ventilation (ADN)	: 5 L : E2 : PP, EX, A : VE01
	Classification code (RID) Special provisions (RID) Limited quantities (RID) Excepted quantities (RID) Packing instructions (RID) Special packing provisions (RID) Mixed packing provisions (RID) Portable tank and bulk container instructions (RID) Portable tank and bulk container special provisions (RID) Tank codes for RID tanks (RID) Transport category (RID) Colis express (express parcels) (RID)	 163, 367, 640C 5L E2 P001 PP1 MP19 T4 TP1, TP8 L1.5BN 2 CE7

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	KORTHO INK K8 BLUE ; ethanol; ethyl alcohol ; ethyl acetate ; 1- Ethoxypropan-2-ol ; propan-1-ol ; n-butyl acetate ; 1- methoxypropan-2-ol	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	KORTHO INK K8 BLUE ; ethanol; ethyl alcohol ; ethyl acetate ; 1- Ethoxypropan-2-ol ; propan-1-ol ; n-butyl acetate ; 1- methoxypropan-2-ol	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

VOC Directive (2004/42)

Organic solvent

: Yes

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

For the following substances of this mixture a chemical safety assessment has been carried out: ethanol; ethyl alcohol

SECTION 16: Other information

Abbreviations and acronyms:		
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008	
DNEL	Derived-No Effect Level	
EC50	Median effective concentration	
LC50	Median lethal concentration	
LD50	Median lethal dose	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006	
STP	Sewage treatment plant	
vPvB	Very Persistent and Very Bioaccumulative	

Other information

: DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Full text of H- and EUH-statements:		
Acute Tox. 4 (Oral)	cute toxicity (oral), Category 4	
EUH066	Repeated exposure may cause skin dryness or cracking.	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and	EUH-statements:	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
H225	Highly flammable liquid and vapour.	
H226	Flammable liquid and vapour.	
H302	Harmful if swallowed.	
H314	Causes severe skin burns and eye damage.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.	
H336	May cause drowsiness or dizziness.	
H372	Causes damage to organs through prolonged or repeated exposure.	
Resp. Sens. 1	Respiratory sensitisation, Category 1	
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B	
Skin Sens. 1A	Skin sensitisation, category 1A	
STOT RE 1	Specific target organ toxicity – Repeated exposure, Category 1	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis	

Full text of use descriptors		
PC18	Ink and Toners	
PROC0	Other	
SUO	Other	

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Flam. Liq. 2	H225	On basis of test data
Eye Dam. 1	H318	Calculation method
STOT SE 3	H336	Calculation method

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.